



## ***Annual Drinking Water Quality Report for 2015***

**Town of Niskayuna**

*One Niskayuna Circle, Niskayuna, NY 12309*

(Public Water Supply Identification Number NY4600073)

### **INTRODUCTION**

To comply with State regulations, the Town of Niskayuna issues an annual report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. This report provides an overview of our drinking water quality for the year 2015. Included are details about where your water comes from, what it contains, and how it compares to New York State standards. Our goal is to provide you with a safe and dependable supply of drinking water. We strive to improve our water treatment process and to protect our water resources. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. Last year, we conducted tests for over 80 contaminants. This report is an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to New York State standards.

If you have any questions about this report or your drinking water please contact *Richard Pollock, Superintendent of Water, Sewer & Engineering 386-4520*. We want you to be informed about your drinking water. If you want to learn more, please attend any of our regularly scheduled Town Board meetings. There are 2 Board meetings every month held on Tuesdays at 7:00 PM in the *Town Hall*. For specific dates of scheduled meetings please visit the Town website (<http://www.niskayuna.org/>).

### **WHERE DOES OUR WATER COME FROM?**

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include: microbial contaminants, inorganic contaminants, pesticides and herbicides, organic chemical contaminants, and radioactive contaminants. In order to ensure that tap water is safe to drink, the State and the EPA prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. Similarly for bottled water, State Health Department and FDA regulations establish limits to provide the same protection for public health.

The Town of Niskayuna's water source is groundwater from two aquifers. In 2015, 46.6% of our water was drawn from wells located near the Mohawk River in the Town of Niskayuna and 53.4% was drawn from the City of Schenectady wells located in the Town of Rotterdam near the Mohawk River. During 2015, our system did not experience any water source restrictions.

The water is purified naturally as it percolates through layers of soil, clay, rock and sand. When the "raw water" is pumped from the aquifer, it is further treated and disinfected prior to distribution. Treatment at the Niskayuna Water Plant consists of gas chlorination to oxidize iron and manganese and to disinfect the water, pressure sand filtration to remove iron and manganese, fluoridation at low levels to protect teeth, and injection of poly-orthophosphate to control corrosion. The City's treatment process is nearly identical with one exception; there is no pressure sand filtration because their raw water has very little iron and manganese.

### **FACTS AND FIGURES**

Our water system serves about 20,295 people through 8,001 service connections. The total water produced in 2015 was 1,034,942,680 gallons; 434,336,000 gallons was produced at the Niskayuna Water Plant and 626,636,000 were purchased from the City of Schenectady. Our "average daily demand" was 2,835,459 gallons per day. Our highest single day was 6,212,000 gallons. The amount of water withdrawn was 1,034,942,680 gallons while the amount of water delivered to customers was 964,050,178 gallons. This left an unaccounted for total of 70,892,502 gallons (7% of the total amount produced and purchased). This water was used to backwash filters at the Water Plant, flush mains and fight fires. Some was lost through leakage and some was "lost" through inaccurate/slow water meters.

In 2015, “one to four unit(s) residential” water customers were charged \$2.60 per 1,000 gallons of water plus an annual \$85.00 fixed water charge. All other customers were charged the commercial rate of \$3.49 per 1,000 gallons with no fixed water charge.

#### **ARE THERE CONTAMINANTS IN OUR DRINKING WATER?**

In accordance with State regulations, we routinely test your drinking water for numerous potential contaminants including: inorganic compounds, radiological contaminants, lead and copper, nitrate, volatile organic compounds, haloacetic acids, trihalomethanes and synthetic organic compounds. In addition, we test 20 samples per month for coliform bacteria. The enclosed table depicts which compounds were detected in your drinking water. The State allows us to test for some contaminants less than once per year because the concentrations of these contaminants typically change little from year to year. Some of the data, though representative, is more than one year old.

All drinking water, including bottled drinking water, may contain small amounts of some contaminants. The presence of contaminants does not necessarily indicate a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA’s Safe Drinking Water Hotline (800-426-4791) or the Schenectady County Health Department at (518) 386-2818.

#### **WHAT DOES THIS INFORMATION MEAN?**

As you can see by the table on page 4, our system had no violations. We have learned through our monitoring and testing that some contaminants have been detected; however, these compounds were detected below New York State requirements. MCL’s are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

As illustrated in the table, our monitoring and testing detected some contaminants; all other contaminants were below the maximum levels permitted by the State, known as the maximum contaminant levels (MCL).

Many of the test results were **NON DETECTABLE**. The type/group (number of contaminants in each group) tested for were as follows: volatile organic compounds (52) +MTBE, synthetic organic compounds (38), asbestos, color, odor and radiological chemicals (4). The inorganic contaminants tested for were: arsenic, cadmium, chromium, mercury, silver, selenium, antimony, beryllium, thallium and cyanide. The microbiological contaminants (2) *E. coli*. Similarly, for the City of Schenectady many of the test results were **NON DETECTABLE**. The type/group tested for were as follows: volatile organic compounds (52) +MTBE, synthetic organic compounds (38), color and odor. (4), microbiological contaminants (2) total coliform, *E. coli*. The inorganic contaminants tested for were: iron, arsenic, barium, cadmium, chromium, silver, antimony, beryllium, thallium, mercury, selenium and cyanide.

Unregulated Contaminant Monitoring 3 was conducted during 2013. This is a requirement of the 1996 Safe Drinking Water Act amendments. This monitoring provides a basis for future regulatory action to protect the public health. The number in parentheses refers to the number of analytes measured for a total of 21 analytes. The breakdown of analytes is as follows: volatile organic chemicals (7), synthetic organic compounds (1), metals (6), oxyhalide anion (1) and perfluorinated compounds (6). We have listed those compounds that were detected in the table of Detected Contaminants for Niskayuna. There are no associated MCL’s for these compounds at this time.

#### **IS OUR WATER SYSTEM MEETING OTHER RULES THAT GOVERN OPERATIONS?**

During 2015, the Town of Niskayuna was in compliance with applicable State drinking water reporting, operating and monitoring requirements.

#### **DO I NEED TO TAKE SPECIAL PRECAUTIONS?**

Some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by

Cryptosporidium, Giardia and other microbiological pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

#### **WHAT IS THE SOURCE WATER ASSESSMENT PROGRAM (SWAP)?**

To emphasize the protection of surface and ground water sources used for public drinking water, Congress amended the Safe Drinking Water Act (SDWA) in 1996. The amendments require that New York State Department of Health's Bureau of Public Water Supply Protection is responsible for ensuring that source water assessments are completed for all of New York's public water systems.

A source water assessment provides information on the potential contaminant threats to public drinking water sources:

- ◆ each source water assessment will: determine where water used for public drinking water comes from (delineate the source areas)
- ◆ Inventory potential sources of contamination that may impact public drinking water sources
- ◆ Assess the likelihood of a source water area becoming potential contaminated

A SWAP summary for our water supply is attached to this report. The SWAP summary for the City of Schenectady water supply will be presented in next year's report

#### **INFORMATION ON FLUORIDE ADDITION**

Our system is one of the many drinking water systems in New York State that provides drinking water with a controlled, low level of fluoride for consumer dental health protection. Fluoride is added to your water by the Niskayuna and Schenectady Water Departments. According to the United States Centers for Disease Control, fluoride is very effective in preventing cavities when present in drinking water at an optimal range from 0.8 to 1.2 mg/l (parts per million). To ensure that the fluoride supplement in your water provides optimal dental protection, the State Department of Health requires that Niskayuna and Schenectady monitor fluoride levels on a daily basis. During 2015 monitoring showed fluoride levels in your water were within 0.2 mg/l of the target level for 99 % of the time for Niskayuna and 100% of the time for Schenectady. None of the monitoring results showed fluoride at levels that approach the 2.2 mg/l MCL for fluoride.

#### **INFORMATION ON LEAD**

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Town of Niskayuna and City of Schenectady are responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>

#### **WHY SAVE WATER AND HOW TO AVOID WASTING IT?**

Although our system has an adequate amount of water to meet present and future demands, it is still important to conserve water. Saving water saves energy required to pump water and reduces the need to construct costly new wells, pumping systems and water towers. You can conserve water by:

- *Using water saving showerheads*
- *Repairing all leaks in your plumbing system; leaking toilets can waste 100 GPD*
- *Watering your lawn sparingly in the early morning or in the late evening*
- *Doing only full loads of wash and dishes*
- *Washing your car with a bucket and hose with a nozzle*
- *Not cutting the lawn too short; longer grass saves water.*

Use your water meter to detect hidden leaks. Simply turn off taps and water using appliances; then check the meter after 15 minutes; if it moves, you have a leak.

## SYSTEM IMPROVEMENTS

In 2015 the following improvements were made to the water system:

- Installed multiple new large diameter valves: One (1) 24inch valve, Four (4) 20 inch valves
- Rebuilt a PRV which functions in the water filtration system at the Water Treatment Plant
- Design work to replace approximately 2 miles of water main along Lisha Kill Rd. and Pearse Rd.
- Security System Improvements to Water Plant

## CLOSING

Thank you for allowing us to provide your family with quality water this past year. We ask that all our customers help us protect our water sources. Please call our office if you have questions.

TOWN OF NISKAYUNA TABLE OF DETECTED CONTAMINANTS						
Public Water Supply Identification Number NY4600073						
Contaminant	Violation Y/N	Level Detected	Unit Measurement	MCLG	MCL	Likely Source of Contamination
<b>Inorganic Contaminants</b> (sample data from 1/21/15 unless otherwise noted)						
Barium	N	24	ppb	2000	2000	Geology; Naturally occurring
Chloride	N	61.4	ppm	N/A	250	Geology; Naturally occurring
Copper (samples from 6/12/15-6/18/15) Range of copper concentrations	N	0.77 0.05-1.12	ppm	1.3	AL=1.3	Corrosion of household plumbing systems
Fluoride	N	0.66	ppm	N/A	2.2	Water additive which promotes strong teeth
Iron	N	5	ppb	N/A	300	Geology; Naturally occurring
Lead (samples from 6/12/15-6/18/15) Range of lead concentrations	N	7 <sup>2</sup> ND-6	ppb	0	AL=15	Corrosion of household plumbing systems
Manganese	N	7.1	ppb	N/A	300	Geology; Naturally occurring
Nitrate	N	0.276	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
pH	6.9	6.67	units		6.5-8.5	
Sodium <sup>3</sup>	N	40	ppm	N/A	N/A	Geology; Road Salt
Sulfate	N	18.6	ppm	N/A	250	Geology
Zinc	N	9	ppb	N/A	5000	Geology; Naturally occurring
<b>Microbiological Contaminants</b>						
Total coliform (sample from 10/20/15)	N	1 positive sample	N/A	0	Two or more positive samples	Naturally present in the environment
<b>Stage 2 Disinfection Byproducts</b> (sample data from 8/12/15 unless otherwise noted)						
Chlorine (based on daily samples) Range of chlorine residuals	N	1.2 0.8-1.4	ppm	MRDLG 4	MRDL 4	Used in the disinfection and treatment of drinking water chlorination
Haloacetic Acids [HAA5]	N	9.5	ppb	N/A	60	Byproduct of drinking water chlorination
Trihalomethanes [TTHM]	N	24.7	ppb	0	80	Byproduct of drinking water chlorination
<b>Unregulated Contaminant Monitoring Rule 3 Detected Contaminants</b> (samples from 1/14/13 & 7/15/13)						
Chromium (total) range of values	N	ND-0.4	ppb	N/A	N/A	
Strontium range of values	N	242-328	ppb	N/A	N/A	

**NOTES-**

1. The level presented represents the 90<sup>th</sup> percentile of 30 test sites. The action level for copper was not exceeded at any of the 30 sites tested
2. The level presented represents the 90<sup>th</sup> percentile of 40 test sites. The action level for lead was not exceeded at any of the 30 sites tested
3. Water containing more than 20 mg/l should not be consumed by persons on severely restricted sodium diets.

*Non-Detects (ND)* - laboratory analysis indicates that the constituent is not present.

*Parts per million (ppm) or Milligrams per liter (mg/l)* - one part per million corresponds to one minute in two years or a single penny in \$10,000.

*Picocuries per liter (pCi/L)* - picocuries per liter is a measure of the radioactivity in water.

*Parts per billion (ppb) or Micrograms per liter* - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

*90<sup>th</sup> Percentile Value*- The values reported for lead and copper represent the 90<sup>th</sup> percentile. A percentile is a value on a scale of 100 that indicates the percent of a distribution that is equal to or below it. The 90<sup>th</sup> percentile is equal to or greater than 90% of the lead and copper values detected at your water system.

*Action Level* - the concentration of a contaminant, which, if exceeded, triggers treatment, or other requirements, which a water system must follow.

*Maximum Contaminant Level* - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

*Maximum Contaminant Level Goal* The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

*Maximum Residual Disinfectant Level (MRDL)*: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

*Maximum Residual Disinfectant Level Goal (MRDLG)*: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

*N/A-Not applicable*

**CITY OF SCHENECTADY TABLE OF DETECTED CONCENTRATIONS  
Public Water Supply identification Number NY4600070**

Contaminant	Violation Y/N	Level Detected	Unit Measurement	MCLG	MCL	Likely Source of Contamination
<b>Inorganic Contaminants</b>						
Copper (samples Sept. 2013)	N	0.078	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Range of copper concentrations						
Fluoride (from 11/3/14)	N	0.8	ppm	N/A	2.2	Water additive which promotes strong teeth;
Lead (samples Sept. 2013)	N	2	ppb	0	15	Corrosion of household plumbing systems, erosion of natural deposits
Range of lead concentrations						
Nitrate (as Nitrogen) (from 7/20/15)	N	0.467	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
<b>Radionuclides (samples from 12/18/13)</b>						
Gross Alpha	N	0.149	pCi/L	0	15	Erosion of natural deposits
Radium 226	N	0.254	pCi/L	0	5	Erosion of natural deposits
Radium 228	N	0.381	pCi/L	0	5	Erosion of natural deposits
<b>Disinfection Byproducts (sample data from 7/20/15)</b>						
Haloacetic Acids [HAA5] range of 2 samples	N	4.5-5.8	ppb	N/A	60	By-product of drinking water chlorination
TTHM [Total Trihalomethanes] range of 2 samples	N	8.6-10.5	ppb	0	80	By-product of drinking water chlorination
Chlorine (average) (based on daily samples)	N	1.2	ppm	MRDLG	MRDL	Used in the treatment and disinfection of drinking water
Range of chlorine residuals		0.8-1.5		4	4	

**NOTES-**

1. The level presented represents the 90<sup>th</sup> percentile of 30 test sites. The action level for copper was not exceeded at any of the 30 sites tested
2. The level presented represents the 90<sup>th</sup> percentile of 30 test sites. The action level for lead was not exceeded at any of the 30 sites tested

**Niskayuna Consolidated Water District # 11  
NY4600073  
Source Water Assessment Summary**

The NYS DOH has completed a source water assessment for this system, based on available information. Possible and actual threats to this drinking water source were evaluated. The state source water assessment includes a susceptibility rating based on the risk posed by each potential source of contamination and how easily contaminants can move through the subsurface to the wells. The susceptibility rating is an estimate of the potential for contamination of the source water, it does not mean that the water delivered to consumers is, or will become contaminated. The section of the report entitled, "Are there contaminants in our drinking water?" provides a list of the contaminants that have been detected.

As mentioned earlier in this report, our drinking water is derived from 7 drilled wells. The source water assessment

has rated these wells as having an elevated susceptibility. In addition, the wells draw from an unconfined aquifer and the overlying soils are not known to provide adequate protection from potential contamination.

While the source water assessment rates our well(s) as being susceptible to microbials, please note that our water is disinfected to ensure that that the finished water delivered into your home meets New York State's drinking water standards for microbial contamination.

The Niskayuna Consolidated Water District recognizes the importance of watershed protection by implementing Watershed Rules and Regulations along with zoning restrictions.

A copy of the assessment can be obtained by contacting us at the number provided in the annual report.

---

**Schenectady City**  
**PWSID# NY4600070**  
**AWQR Summary**

The NYS DOH has completed a source water assessment for this system, based on available information. Possible and actual threats to this drinking water source were evaluated. The state source water assessment includes a susceptibility rating based on the risk posed by each potential source of contamination and how easily contaminants can move through the subsurface to the wells. The susceptibility rating is an estimate of the potential for contamination of the source water, it does not mean that the water delivered to consumers is, or will become contaminated. The section of the report entitled, "Are there contaminants in our drinking water<sup>2</sup>" provides a list of the contaminants that have been detected.

As mentioned earlier in this report, our drinking water is derived from 11 drilled wells; the source water assessment has rated these wells as having an elevated susceptibility. This rating is due primarily to the close proximity of permitted discharge from commercial facilities that are regulated by the state. In addition, the wells draw from an unconfined aquifer and the overlying soils are not known to provide adequate protection from potential contamination.

While the source water assessment rates our well(s) as being susceptible to microbials, please note that our water is disinfected to ensure that that the finished water delivered into your home meets New York State's drinking water standards for microbial contamination.

The City of Schenectady recognizes the importance of watershed protection by implementing Watershed Rules and Regulations along with zoning restrictions.

A copy of the assessment can be obtained by contacting us at the number provided in the annual report.